



THE COMPLETE GUIDE TO THE LAWWILL-KNIGHT PRO CRUISER



26" PRO-CRUISER



(Street) COMPONENT LIST


Frame: Chrome-moly 20 degree rake	Wheel rim: UKAI alloy
Goose Neck: Wald	Spokes: Stainless Steel
Handle Bars: chrome-moly	Brakes: Mayfac cantilever rear only
Seat Post: chrome-moly 15 long	Tires: IRC RACER X-1 26x2.125
Front Fork: Tange cro-mo 115/16 offset	Seat Post Clamp: Suntour quick release
Pedals: Shimano MX	COLOR: Electrostatic Black, Red & Blue
Free Wheel: 20T single speed	oolon. Hierristatie black, hea a blac
NOTE: 5,10, & 15 speed kits avail- able	Suggested Retail Mesinger Seat\$495.00
Chain: Unaglide 600	Suggested Retail Brooks B-72 Seat\$505.00
Cranks: Alloy Tourney MX 44T	
Seat: Mesinger or Brooks B-72	



26" PRO-CRUISER FRAME SPECIFICATIONS

(STREET)

Manufactured from a combination of 5/8'', 3/4'', and 11/4''. 035 wall thickness 4130 chrome-moly tubing and heli-arc welded, this frame weighs only 5&1/2' lbs. It uses a 1010 bottom bracket shell and headtube, and comes with a derailleur tab for Shimano and Suntour derailleurs welded on.



A. Seat Tube Length/Frame Size
(Bottom bracket center to top
of seat tube)
B. Seat Tube Diameter
(Front Derailleur Fit)l1/4"
C. Required Seat Post Sizel1/16"
D. Required Seat Clamp Size11/8"
E. Head Tube Length
F. Headset TytpeShimano MX2
G. Bottom Bracket Height
(To center of bottom bracket)121/4"
H. Bottom Braket Type2'' Press in Type
I. Top Tube Heighthighest 311/4"
lowest 28''
J. Rear Dropout Inside Width127mm(5'')
(A 7'' Rear Axle must be used because of the
wide dropout design)
K. Wheel Base44"
Rake201/2 degrees
L. Weight

Suggested Retail: (unpainted)	\$195.00
(painted)	.\$205.00
(with Mayfac weld on, unpainted)	.\$205.00
(with Mayfac weld on, painted)	.\$205.00
Suggested Retail: (chrome)	.\$30.95



> LAWWILL-KNIGHT PRO CRUISER (STREET)





26" PRO-CRUISER



COMPONENT LIST (Mountain Bike)

Frame: Chrome-moly 221/2 degree rake Goose Neck: Chrome-moly hand crafted Handle Bars: chrome-moly Seat Post: chromeOmoly 15 long Front Fork: Tange cro-mo 115/16 offset Pedals: Shimano MX Free Wheel: 14,17,22,28, & 34 teeth NOTE: 10&15 speed kits available Derailleur: Shimano 600 Thumb Shifter Chain: Unaglide 600

Cranks: Alloy Tourney MX 44T			
Seat: Mesinger or Brooks B-72			
Wheel rim: UKAI alloy			
Spokes: Stainless Steel			
Brakes: Strumey-Archer drum Front & Rear			
Tires: IRC RACER X-1 26x2.125			
Seat Post Clamp: Suntour quick release			

COLOR: Electrostatic Black, Red & Blue


Suggested Retail Mesinger Seat...\$595.00 Suggested Retail Brooks B-72 Seat..\$605.00



26" PRO-CRUISER FRAME SPECIFICATIONS

(MOUNTAIN BIKE)

Manufactured from a combination of 5/8", 3/4", and 1&1/4".035 wall thickness 4130 chrome-moly tubing and heli-arc welded, this frame weighs only 5&1/2'lbs.It uses a 1010 bottom bracket shell and headtube, and comeswith a derailleur tab for Shimano and Suntour derailleurs welded on.



A. Seat Tube Length/Frame Size....183/4" (Bottom bracket center to top B. Seat Tube Diameter (Front Derailleur Fit).....l1/4" C. Required Seat Post Size.....l1/16" D. Required Seat Clamp Size.....11/8" F. Headset Tytpe.....Shimano MX2 G. Bottom Bracket Height (To center of bottom bracket). 123/8" H. Bottom Braket Type...2" Press in Type I. Top Tube Height...highest 31"lowest 29&3/4" J. Rear Dropout Inside Width...127mm(5") (A 7"Rear Axle must be used because of the wide dropout design)

Suggested Retail: (unpainted).....\$195.00 (painted).....\$205.00

Suggested Retail: (chrome).....\$30.95



> LAWWILL-KNIGHT PRO CRUISER (MOUNTAIN)





26" PRO-CRUISER COMPONENT LIST

(TRAIL-BLAZER)

FRAME: Chrome-moly tubing and heli-arc welded
rake-69.5 degrees
weight is 5&1/4 lbs

HANDLE BARS/GOOSE NECK: LAWWILL-KNIGHT MOUNTAIN BAR chrome-moly tubing chrome plated

weight is just under 2 lbs.

SEAT POST: LAPRADE SR 8 long 26.6mm aluminum

SEAT: SELLE ROYAL

SEAT POST BINDER: SUNTOUR Model QR-170 quick release

FRONT FORK: TANGE Model 140 mountain bike

CRANK SET: TAKAGI XT triple 26, 36, & 46 teeth 175mm

sealed bearing bottom bracket

PEDALS: SUNTOUR XC-1 mountain bike pedals model PL-5000

FREE WHEEL: 14, 17, 22, 28, 34 teeth

DERAILLEURS: FRONT, SHIMANO MTB FD-AL-11

REAR, SHIMANO 600

CHAIN: UNAGLIDE 600

WHEELS: UKAI alloy

stainless steel spokes

SHIMANO MOUNTAIN BIKE SEALED BEARING HUBS

BRAKES: NEW POWER-GRIP or MAFAC CANTILEVER


TIRES: IRC RACER X-1 26x2.125



26" PRO-CRUISER FRAME SPECIFICATIONS

(TRAIL-BLAZER)

Manufactured from a combination of 5/8", 3/4", 1&1/8" and 1&1/4" .035 wall thickness 4130 chrome-moly tubing and heliarc welded, this frame weighs only 5&1/4' lbs.It uses a European type bottom bracket with a triple (26, 36, 46) cotterless crankset. The derailleur tab fits Shimano and Suntour derailleurs. A full set of weld-ons are welded in place.



A. Seat Tube Length/Frame Size19"
(Bottom bracket center to top
of seat tube)19"
B. Seat Tube Diameter
(Front Derailleur Fit)l&1/8"
C. Required Seat Post Size26.6mm
D. Head Tube Length5&1/4"
E. Headset TytpeShimano MX2
F. Bottom Bracket Height
(To center of bottom bracket). 12&1/4"
G. Rear Dropout Inside Width127mm(5")
H. Bottom Bracket TypeCotterless
I. Top Tube Heighthighest 31"
lowest 29&3/4"

Wheel base43-43&1/2
Rake20&1/2 degrees
Weight

Suggested Retail:	(unpainted)\$195.00
(painted)	\$205.00
(with Power-G	rip or Mafac weld ons)
	unpainted\$205.00
	painted\$215.00



LAWWILL-KNIGHT PRO CRUISER (TRAIL-BLAZER)





PRO-CRUISER Photo: CALIFORNIA TRAVIS

The PRO-CRUISER with drum brakes, 5 Speeds, and chromeoly frame, has been developed by TRAILMASTER & LAWWILL-KNIGHT LTD. to provide the necassary strength, lightness and reliability required for off-road use. The Sturmey-Archer drum brakes supply braking powerwet or dry. The Shimano 14x34T Uni-glide freewheel and "600" long arm derailleur provide a wide gear range. The T.I.G. welded chromeoly frame that ties it all together is built by Terry Knight and has been proven as soliud as a rock yuet weights only 5-1/2 lbs. Frame is finished in either electrostatic candy red epoxy paint or nickel plated. A quick-release seatpost allows instant changes in seat height to suit the terrain. Quality and price hard to surpass.

No. PC-5R	CANDY RED ELECTROSTATIC EPOXY
No. PC-5N	NICKEL PLATED


PARTS LIST

HANDLEBARS: 4130 Chromemoly STEM: Redline or Pro-Neck HEADSET: Tange BRAKE LEVERS: K&L "Power Lever" DERAILLEUR CONTROL: Shimano or Suntour Thumbshifter SADDLE: Brooks B-72 SEATPOST: 4130 Chromemoly SEATPOST QUICK-RELEASE: Suntour CRANK BEARING: Takagi/Shimano CRANKS: Shimano "600", 44T PEDALS: KKT, Chromemoly Axle REAR DERAILLEUR: Shimano "600" Long Arm Or Suntour V-GT Long Arm FREEWHEEL: Shimano Uni-Glide 14-34 CHAIN: Shimano Uni Glide HUBS: Sturmey-Archer Drum Brake SPOKES: D.T. Stainless Steel 14 Ga./Straight Ga. RIMS: Ukai 26" x 1.75" "Box" Aluminum, Gold TIRES: Carlisle or Uniroyal 26" x 2.125" Knobby FORK: Tange/Mild Steel Blades With Chromemoly Steerer Tube Optional Chromemoly Fork Available FRAME: (Size: 18-1/2") T.I.G. Welded 4130 Chromemoly

TRAILMASTER

ALL TERRAIN BICYCLES





PRO-CRUISER

No. 800-PC-U

DEVELOPED BY TRAILMASTER & LAWWILL-KNIGHT LTD. T.I.G. WELDED 4130 CHROMEOLY TUBING (WITH 1010 BOT-TOM BRACKET SHELL AND HEAD TUBE) COMPLETE WITH WELDED-ON REAR DERAILLEUR TAB FOR SHIMANO DERAILLEUR: FITS SUNTOUR AND HURET DUO-PAR ALSO. UNPAINTED

No. 800-PC-R SAME AS ABOVE BUT WITH ELECTROSTATIC CANDY RED EPOXY PAINT.

No. 800-PC-N SAME AS ABOVE BUT WITH POLISHED NICKEL PLATING

SPECIFICATIONS:

- A. SEAT TUBE LENGTH / FRAME SIZE (Bottom bracket center to top of seat tube)18 3/4"
- B. SEAT TUBE OUTSIDE DIAMETER (Bottom bracket center to top of seat tube)1 1/4"
- C. REQUIRED SEAT POST SIZE (O.D.)1-1/16"
- D. SEAT POST CLAMP SIZE REQUIRED1-1/8"
- F. REQUIRED HEADSET TYPE.....CAT.No.710-TG-0
- G. BOTTOM BRACKET HEIGHT (To center of bottom bracket)12-3/8"
- H. BOTTOM BRACKET TYPE.......2" PRESS IN CUP TYPE
- J. INSIDE REAR DROPOUT WIDTH......127mm(5") (An extra-long rear axle, e.g. 7", is needed with this frame because of its wide dropouts).
- K. RECOMMENDED FOR: CHROMEOLY, LAGUNA OR TRAILMASTER
- L. WEIGHT (Painted).....5 1/2" lbs

MINIMUM INSEAM SIZE (Crotch to floor: 32")

NOTE:

REAR HUB SHOULD BE SPACED PLUS OR MINUS 1/16" OF "J" DIMENSION TO PREVENT BOWING OF AXLE WHEN AXLE NUTS ARE TIGHTENED











ELECTROSTATIC CANDY RED



ELECTROSTATIC BLACK



NICKEL PLATED





BLUE



















COLORS

Don Koski believes this came out of Cove Shop. They apparently did some of this orange paint and lots of braze ons on the Pro Cruisers.










ORANGE








SERIAL NUMBERS



Ye	ear	Brake Type		Frame Number		
8	0	B		2	2	4
Production Years						
1977						
1978						
1979						
			198	30		
			198	31		
Brake	е Туре	es				
Α	Canti		r			
В	B Drum					
Wheel Size						
24"						
26"						



FRAME DECALS



SIDE LOGOS






BADGE

FRAME DETAILS


OEM CABLE STOPS ON PRO CRUISERS (From Terry Knight Hayward shop)






FRAME DETAILS


NON OEM CABLE STOPS ON PRO CRUISERS













Drum Brake Mount










MERT



DON KOSKI/TERRY COX









ACTION SHOTS





Compiled by



2023 No Copyrights, No permission, No profit, If we know the source we will mention, If we know the rider we will mention, If we made a mistake sorry we are big fans though





Ray Hensley creates Track Master Racing Frames Mike Konle & Lynn Kasten work for Ray



Mike Konle & Lynn Kasten create Redline in 1971 By 1975 they start to focus on BMX In 1978 they aquire Champion following death of Doug Schwerma



Doug Schwerma creates Champion Racing frames By 1975 start offering ultra trick BMX frames Terry Knight is welder at Champion Doug Schwerma dies and Terry Knight leaves Champion



Mert Lawwill & Terry Knight consider making BMX frames but Don Koski convinces them to make 26" mountain bike (later called Pro Cruiser)



Terry continued to make dirt track racing frames & swing arms



Koski family gets into bicycle shop business. By 1974 the brothers start to develop an off-road bicycle fork (hire Cook Bros Racing to make) as well as purpose built off-road bike frame.



 In 1972 Cook Bros Racing is born Craig & Gary Cook start making high performance BMX bikes & components. In 1975 Don Koski has Cook Bros build him a 26" 4130 chomoly off road specific fork.
By 1978 this fork will be spec'd on Lawwill Pro Cruiser Later becomes one of Cook Bros most successful products









In 1974 Mattews Motocross launches motocross inspired 20" BMX bike with a monoshock.

1974



Donny Koski a cyclist & a motorcyclist takes the idea and applies the concept to a 26" off road bicycle platform.

1975

1973



BY 1975 Donny has a NEW 26" prototype with a 4130 tubular 26" fork made by Cook Bros based on skectch Donny provided



Mert Lawwill & Terry Knight consider making BMX frames but Don Koski convinces them to make 26" mountain bike (later called Pro Cruiser)

By 1978 LAWWILL KNIGHT weremanufacturing and selling complete mountain bikes sold as Pro Cruiser making batches of 50 at a time